# BE SMART!

## **CONCUSSION AWARENESS & MANAGEMENT**

## WHEN IN DOUBT - SIT THEM OUT!

### **CONCUSSION: Signs & Symptoms**

- Confusion and Disorientation
- Loss of Consciousness
- Headache
- Dizziness
- Nausea and Vomiting
- Loss of Balance

- Double Vision or Fuzzy Vision
- Ringing in the Ears
- Slow or Slurred Speech
- Seeing "Stars"
- Feeling Stunned or Dazed
- Emotional or Personality Changes

#### **CONCUSSION: Management & Rehabilitation**

An athlete should never return to play while symptomatic. When a player shows ANY SYMPTOMS or SIGNS of a concussion...

- The player should not be allowed to return to play in the current game or practice.
- The player should not be left alone, regular monitoring for deterioration is essential.
- The player should be medically evaluated.

### **CONCUSSION:** Guidelines for Coaches, Players, Parents & Officials

- Concussion is a Brain Injury
- You do not have to lose consciousness to have a concussion
- Symptoms are often subtle
- Wear properly fitted protective equipment
- The head (helmet/facemask) should never be used to make initial contact with another player
- A concussion may be caused by a direct blow to the head, face, neck, or anywhere else that causes a severe and sudden movement to the head/neck
- Medical Clearance by an appropriate physician is mandatory before return to play

#### **CONCUSSION:** Follow these 6 steps before returning to play.

#### Concussion Management should adhere to the following 6 steps:

- 1. No activity, complete rest. Once asymptomatic, proceed to step two
- Light aerobic exercise such as walking or stationary cycling
- **3.** Sport-specific training. (e.g. running in football, skating in hockey)
- **4.** Non-contact training drills
- 5. Full-contact training after medical clearance
- **6.** Game Play









