

# RACING PROGRAM

2 0 2 2 /  
2 0 2 3

 **VOEKL**

 **DALBELLO**

 **MARKER**

[VOEKL.COM](http://VOEKL.COM)

[DALBELLO.IT](http://DALBELLO.IT)


[MARKER.NET](http://MARKER.NET)

# THE RACE IS ON



## KEY FEATURES

### MULTILAYER WOODCORE



The combination of beech and poplar allows for an extremely resilient stickwood core, consisting of hard-wood in the binding area and somewhat lighter wood in the remaining area.

### WORLDCUP ASH WOODCORE



Ash is a hard wood. The long fibers stretch when the ski initiates the turn and contract again when the end of the turn is reached. For our WorldCup und

Master models, we use the restoring force of ash to make the ski more solid and stable on the slope and at the same time to build up pressure on the edge. Especially at the shovel and the tail we can build the ski harder and therefore improve the dynamics as well as the smoothness.

### FINISH

Our skis can be used directly in racing without processing, because our bridges are already delivered with a suspended angle. This is a huge advantage for later preparation. All our models are coming with dedicated tuning according to each individual purpose and relevant target group. Check out more information on page 26.

### WORLDCUP WOODCORE



In order to offer the best combination for optimal ski bending, we use a special mixture of 50% ash and 50% poplar wood for

the Worldcup Woodcore. The ash acts like a restoring force, as the long fibers stretch when the ski initiates the turn and contract again when the end of the turn is reached. This makes the ski stronger and more stable on the slopes. Thanks to the poplar parts, an optimum balance of weight is reached.

## DEDICATED BASE STRUCTURES


*Völk invests millions in a new base structure machine. Why?*

POLISHED SKI BASES ENHANCE ...  
... greatest gliding characteristics  
... optimal base treatment options  
... long lasting effects

DEDICATED SKI BASE STRUCTURES HAVE A STRONG EFFECT ON ...  
... agile, precise & reliable turn initiation  
... tighter turns with less efforts  
... smooth drifting

### ZEBRA STRUCTURE

on system / premounted skis with narrower widths



One of our latest technologies is Tailored Fibre Placement. In this innovative manufacturing process the Tailored Carbon Tips are produced by embroidering the individual carbon fibers onto a carrier material. This allows them to be positioned exactly along the stress lines, opening up plenty of possibilities, for performance at the front of the ski, which has a decisive influence on the handling of the ski. The stiffness, torsion and thus the skiing characteristics can be specifically adjusted via the fiber thickness and millimeter-precise alignment. In this way, the fibers guide the dynamics to the areas of the ski where they are needed. The visibly integrated Tailored Carbon Tips are light, allow an agile shovel reaction with less effort and quickly build up energy. The Tailored Carbon Tips thus reach a next level of precision, direct tip response and active skiing pleasure.



SCAN ME

## TAILORED TECHNOLOGIES





## KEY FEATURES

### **SLIM & COMPACT SHAPE WITH TWO NEW LASTS**

**LAST 92:** With one of the most exacting lasts on the market, at 92 mm the DRS WC brings the power closer to the sole of the foot for more consistent and direct transmission of energy.

**LAST 97:** The shape of the DRS in the 97 mm last offers a perfect combination of the precision and performance of WC boots with the opportunity to enjoy the entire day of skiing without pressure points or pain. The DRS wraps the entire shape of the foot allowing complete and direct power transmission.

### **SPECIAL LIFTERS & CANTING SOLES**

You can install a pair of lifters with the height of 5 mm (or even 3mm for the WC version). After the installation, boot toe and heel heights must be routered to restore the original height dimensions.

For the DRS 97 lifters are available after-market and offer more grip than the WC version. In addition, GripWalk is available on even the highest performing Dalbello models! With the option of mounting special GripWalk lifters, the DRS 97 mm last can be upgraded with more grip and better walking comfort with no loss of performance.

### **FLEX & CUFF COMBINATIONS**

The stronger the athlete is, the harder the plastic of his boot is. Stiffer materials allow a direct transmission of the forces to the ski. Size by size the wall plastic thicknesses change according with the entire volume and construction of the boots. This is the reason why the same flex letter on the smallest sizes are softer than the biggest sizes.

### **BOOTBOARD TUNING OPTIONS**

Stance can be adjusted by grinding the boot board: different heights allow different performance characteristics depending on the athlete's needs. In the heel area there are two holes with two different depths. Grinding one or two steps it is possible to vary the bootboard's inclination, in proportion to the developments in the series. If you polish inside the reference area, you get an excellent set up, without margin of error.

### **RACE BUCKLES & DEDICATED BASE PLATES**

Specific DRS buckles are 3D shaped, to better follow the ergonomic shape of the boot & for precise buckle tension on the DRS, specifically dedicated for each size and position.

### **SOLE ARCHITECTURE & REBALANCED HEIGHT IN COMPLIANCE WITH ISO NORM**

Out of the box, the sole dimensions on the heel and toe are in compliance with ISO 5355. Moreover, the DRS is also within the F.I.S. stand height regulation of 43 mm.



### **LINERS & TONGUE**

The WC liners are made with the highest quality materials to maximize feel and optimal vibration absorption.



Velcro spoiler	1
Specific collar	2
WC lining & padding material	3
Lorica outer tomaia	4
Reinforced tongue double option to customize	5
Tongue after customization	6




#### XCOMP TOE

- One piece attachment with three point mounting pattern
- Absorbers in main body provide a more forgiving performance
- Xcomp piston absorbs short initial impacts and keeps boot centered
- Great power transmission, precision and control



#### TCX HEEL

- Increased vertical energy absorption
- Increased boot lug purchase
- Wider Heel connection
- Better power transmission



#### PISTON CONTROL

The inner life of the World Cup Plate. A hydraulic oil piston enables sensational performance on the race track. The piston only reacts to negative ski impacts. This noticeably improves the turn initiation, increases the edge grip and allows more precisely controlled turns.



# KIDS (U6-U12)

MODEL	ART. NO.
-------	----------

SKIS:	Racetiger GS R JR w Plate S/L Racetiger GS R 21/23 Racetiger GSL R JR w Plate S Racetiger SG R 30 Racetiger SL R JR w Plate S/L	121842 122816 (Plate) 122842 120850 122832
-------	---	--

BINDINGS:	Race Junior 8 Race 10 TCX XComp 12 WC PC Interface 10mm	6320U1MS 6520U1MT 6820U1MS 2020R1SS
-----------	--	--

BOOTS:	DRS WC SS DRS WC XS DRS 90 LC DRS 75 DRS 60	D2001004.00 D2001005.00 D2002004.00 D2002005.00 D2002006.00
--------	---	---



Cooper VanderBeek



## U14-U16

**SKIS:**

MODEL	ART. NO.
Racetiger SL R JR wPlate S/L	122832
Racetiger SL R	122802 (Plate)
Racetiger GS R JR 17 w Plate L	121842
Racetiger GS R R27/ R25/ R23 / R21	122816
Racetiger SG R 30 JR	120850

**BINDINGS:**

XComp 12	6820U1MS
XComp 16	6920U1MS
XComp 18	7120U1MX
WC PC Interface 10mm	2020R1SS
WC PC Interface 14mm	2022R1SS

**BOOTS:**

DRS WC S	D2001003.00
DRS WC SS	D2001004.00
DRS WC XS	D2001005.00



Devin Mitterreiner



Ryan Webster

## (U18-U21)


**MODEL**

Racetiger GS R WC 30  
Racetiger SL R WC  
Racetiger GS R 30  
Racetiger SL R

**ART. NO.**

122872 (Plate)  
122862 (Plate)  
122812 (Plate)  
122802 (Plate)


**BINDINGS:**

XComp 16  
XComp 18  
XComp 24  
WC PC Interface 10mm  
WC PC Interface 14mm

6920U1MS  
7120U1MX  
7130U1MX  
2020R1SS  
2022R1SS


**BOOTS:**

DRS WC H  
DRS WC M  
DRS WC S  
DRS WC SS


D2001001.00  
D2001002.00  
D2001003.00  
D2001004.00



# SKI CROSS

	MODEL	ART. NO.
SKIS:	Racetiger GS X WC 27/30 Racetiger GS R R27/ R25/ R23/ R21	122820 122816
BINDINGS:	XComp 16 XComp 18 XComp 24 WC PC Interface 10mm	6920U1MS 7120U1MX 7130U1MX 2020R1SS
BOOTS:	DRS WC M DRS WC S DRS WC SS DRS WC XS	D2001002.00 D2001003.00 D2001004.00 D2001005.00





Mégane Boutin



XX VÖLKL  
RACE SKI

F.I.S.

Leona Popovic


**RACETIGER  
GS R 30**
**ART. NO.**122812  
(w/plate & UV0)
**RACETIGER  
GS R WC**
122872 (w/plate & UV0 /188cm)  
122872 (w/plate /193cm)
**99\_65\_83** 188 (30)  
**99.5\_65\_84.3** 193 (30)

**RACETIGER  
SG R 30 JR**


120850

30 30


**RACETIGER  
GS R 21-27**
122816 (w/plate &  
UV0)  
122816 (w/plate)
**96.5\_65\_83** 183 (30)  
**100\_65\_84** 192 (30)  
**99\_64.5\_84** 203 (30)

**RACETIGER  
GS R JR**


121842

19 19

**WEIGHT**

2380 g\* @ 183 cm

2540 g\* @ 188 cm (122872)

2070 g\* @ 192 cm

2270 g\* @ 174 cm (122816)

1750 g \* @ 170 cm

**TECHNOLOGY**
 UV0 3D WC  
 Full Sidewall ABS  
 Full Titanal  
 Race Finish GS 0,8° / 87,6°  
 Base: P-Tex 4504/ Zebra structure

 UV0 3D WC (122872 @ 188 cm)  
 Tailored Carbon Tip (193 cm)  
 Full Sidewall: ABS 188 cm/ Phenol 193 cm  
 Full Titanal  
 Race Finish GS 0,8° / 87,6° (122872)  
 Base: P-Tex 2510/ Zebra structure (122872)

 Full Sidewall ABS  
 Full Sidewall Phenol (192)  
 Full Titanal  
 Base: P-Tex 4505 (183)  
 P-Tex 2510 (192, 203)

 UV0 3D WC (174, 178)  
 Tailored Carbon Tip (183, 188)  
 Full Sidewall ABS  
 Full Titanal  
 Base: P-Tex 4504/ Zebra structure

 Full Sidewall ABS  
 Full Titanal  
 Grown Layup  
 Base: P-Tex 4504/ Zebra structure
**CORE**
 Multilayer Woodcore  
 Beech/Poplar 66/33 (183cm)  
 Beech/Poplar 70/30 (188cm)

 Worldcup Ash Woodcore  
 Ash 100%

 World Cup Woodcore (203/183)  
 Ash/Poplar  
 Worldcup Ash Woodcore (188)  
 Ash 100%

 Multilayer Woodcore  
 Beech/Poplar 66/33 (174cm - 178cm)  
 Beech/Poplar 70/30 (183cm - 188cm)

 Multilayer Woodcore  
 Beech / Poplar 50 / 50 (130 cm - 151 cm)  
 Beech / Poplar 70 / 30 (158 cm - 170 cm)
**REC. BINDING**

Marker Xcomp 24, 18, 16

Marker Xcomp 24, 18, 16

Marker Xcomp 16, 12, 18

Marker Xcomp 16, 12

 Marker Xcomp 12, Marker Race 10 TCX  
 Marker Race JR 8
**REC. USE FIS**
 Lady FIS  
 Master

 Lady EC/FIS (188)  
 Men EC/FIS (193)  
 Master

 Junior (nat. rules may apply)  
 & Lady Master (183), Junior/U14  
 (national rules may apply) &  
 Master (193), U14/16 & Master (203)

 Master  
 U14/16 Men  
 U14/U16 Lady

 Junior (national rules may apply)  
 Lady Master
**COMPLYING FIS**
 Lady WC/EC/FIS  
 Men FIS -5cm (188)  
 Lady FIS -5cm (183)  
 U16/14  
 Master

 Lady WC/EC/FIS (188)  
 Men WC/EC/FIS (193)  
 Men FIS -5cm (188)  
 U16/14 (188)  
 Master

 Junior/U14 (national rules may apply)  
 & U16 & Lady Master (183)  
 Junior/U14 (national rules may apply)  
 & U16 & Master (193)  
 Junior/U14 (national rules may apply)  
 & U16 & Master (203)

 U14/16  
 Master

 Junior/U14 (national rules may apply)  
 U16, Lady Master  
 Length: 151-170 cm
**REC. NON-COMPETITION USE**

Retired Racer

\* Weight can vary slightly due to the production cycles.

Instructor, Retired Racer



**RACETIGER  
SL R**



**RACETIGER  
SL R WC**



**RACETIGER  
SL SL R JR**



**RACETIGER  
GSL R JR**

<b>ART. NO.</b>	122802 (w/plate & UVO)		122862 (w/plate and UVO 3D)	
<b>SIDE CUT LENGTH (RADIUS)</b>	<b>113_65_98.5</b> 155 (12) (10mm WC Plate) <b>116_65_100</b> 157 (12) (10mm WC Plate) <b>118_65_101</b> 165 (12) (14mm WC Plate)	<b>113_65_98.5</b> 155 (12) (10mm WC Plate) <b>116_65_102</b> 157 (12) (10mm WC Plate) <b>118_64.5_102</b> 165 (12) (14mm WC Plate)		
<b>WEIGHT</b>	2070g* @ 155cm (122802)		2060g* @ 155cm (122862)	
<b>TECHNOLOGY</b>	Full Sidewall ABS UVO 3D WC (122802) Full Titanal Torsional Soft Tip 155 Race Finish SL 0,7° / 87,6° Base: P-Tex 4504 / Zebra structure	Full Sidewall ABS 155, 157 Full Sidewall Phenol 165 UVO 3D WC (122862) Full Titanal Torsional Soft Tip 155; 165 Race Finish SL 0,7° / 87,6° (122862) Base: P-Tex 2510 / Zebra structure		Full Sidewall ABS Torsional Soft Tip Full Titanal Grown Layup Base: P-Tex 4504 / Zebra structure
<b>CORE</b>	Multilayer Woodcore Beech/Poplar 66 / 33	Worldcup Woodcore Ash / Poplar		Multilayer Woodcore Beech / Poplar 50 / 50 (122cm-129cm) Beech / Poplar 66 / 33 (136cm - 150cm)
<b>REC. BINDING</b>	Marker Xcomp 24, 18, 16	Marker Xcomp 24, 18, 16		Marker Race JR 8 Marker Race 10 XTD Marker Xcomp 12
<b>REC. USE FIS</b>	Men FIS & U14/16 & Master Lady FIS & U14/16 & Master	Lady EC/FIS & Master Men EC/FIS & Master		Junior (national rules may apply) U14 (only 150cm)
<b>COMPLYING FIS</b>	Lady WC/EC/FIS Men U18 (1st year -10cm, 155) Men WC/EC/FIS 165cm U16/14 Master	Lady WC/EC/FIS Men U18 (1st year -10cm, 155) Men WC/EC/FIS 165cm U16/14 Master		U14/16 Junior (national rules may apply) Master
<b>REC. NON-COMPETITION USE</b>	Instructor, Retired Racer	Retired Racer		Junior

<b>ART. NO.</b>	122832		122842	
<b>SIDE CUT LENGTH (RADIUS)</b>	<b>113_64.5_93</b> 122 (7), 129 (9) (JR Plate S) <b>113_64.5_93</b> 136 (10) (JR Plate L) <b>115_64.5_96</b> 143 (10), 150 (12) (JR Plate L)		<b>111_64.5_91</b> 118 (7,5) (JR Plate S)	
<b>WEIGHT</b>	1180g @ 122cm		1050g @ 118cm	
<b>TECHNOLOGY</b>	Full Sidewall ABS Torsional Soft Tip Full Titanal Grown Layup Base: P-Tex 4504 / Zebra structure		Full Sidewall ABS Base: P-Tex 4504 / Zebra structure	
<b>CORE</b>	Multilayer Woodcore Beech / Poplar 50 / 50 (122cm-129cm) Beech / Poplar 66 / 33 (136cm - 150cm)		Multilayer Woodcore Beech / Poplar 50/50	
<b>REC. BINDING</b>	Marker Race JR 8 Marker Race 10 XTD Marker Xcomp 12		Marker Race JR 8	
<b>REC. USE FIS</b>			Junior (national rules may apply) U14 (only 150cm)	
<b>COMPLYING FIS</b>			U14/16 Junior (national rules may apply) Master	
<b>REC. NON-COMPETITION USE</b>				



**RACETIGER  
SG R WC 40/45**

120880



**93\_65\_80.0** 200 (>=40)  
**93\_65\_77.5** 206 (>=45)  
**95\_65\_81.5** 208 (>=40)  
**93.5\_65\_79** 211 (>=45)

2360g @208cm

Full Sidewall ABS 200,206,208  
 Full Sidewall Phenol 211  
 UVO 3D WC (optional)  
 Full Titanal  
 Base: P-Tex 2510

World Cup Ash Woodcore  
 Ash 100%

Marker Xcomp 24, 18, 16

Master 200cm, 208cm  
 Men FIS 206cm  
 Lady WC/EC/FIS 208cm  
 Men WC/EC/FIS 211cm

Lady FIS -5cm & Master 200cm  
 Men FIS -5cm & (Lady WC/EC/FIS) & Master 206cm  
 Lady WC/EC/FIS & Master 208cm  
 Men (Lady) WC/EC/FIS & Master 211cm



**RACETIGER  
DH R WC 50**

120890



**90.5\_65\_78** 210 (>=50)  
**90.1\_65\_78** 213 (>=50)  
**93.5\_65\_77.8** 218 (>=50)

2570g @213cm

Full Sidewall ABS 210, 213  
 Full Sidewall Phenol 218  
 UVO 3D WC (optional)  
 Full Titanal  
 Base: P-Tex 2510

World Cup Ash Woodcore  
 Ash 100%

Marker Xcomp 24, 18, 16

Lady WC/EC/FIS 210, 213  
 Men WC/EC/FIS 218

Lady WC/EC/FIS 210cm, 213cm, 218cm  
 Men FIS -5cm 213cm  
 Men (Lady) WC/EC/FIS 218



Philip Banville

# SKI COMPARISON

	CORE	TITANAL	FINISH	ROCKER
KIDS	Multilayer Woodcore 66/33 Multilayer Woodcore 50/50 Multilayer Woodcore 70/30  183/192: World Cup Ash Woodcore	2 layers of Titanal: SL R JR (122 832 ) GS R JR (121842)  2 layers of Titanal: SG R JR (120850)	Serie	Tip Rocker
GS R 21/ 23/25/27	Multilayer Woodcore 66/33	2 layers of Titanal	Race Finish 1 (Base 0,8°; Side 87,6°)	Tip Rocker
GS R 30	Multilayer Woodcore 66/33	2 layers of Titanal	Race Finish 1 (Base 0,8°; Side 87,6°)	Tip Rocker
GS R WC 30	World Cup Ash Woodcore	3 layers of Titanal	Race Finish 1 (Base 0,8°; Side 87,6°) (Flat without Finish)	Tip Rocker
SL R	Multilayer Woodcore 66/33	2 layers of Titanal	Race Finish 2 (Base 0,7°; Side 87,6°)	Full Camber
SL R WC	World Cup Woodcore	2 layers of Titanal	Race Finish 2 (Base 0,7°; Side 87,6°) (Flat without Finish)	Full Camber





# BINDINGS

Competition & Race



## XCOMP 24

<b>Category</b>	Race Competition
<b>Brake width</b>	85 mm
<b>DIN range</b>	12.0 - 24.0
<b>Boot type</b>	A
<b>Rec. skier's weight</b>	60 + kg
<b>Stand height</b>	18 mm
<b>Toe system</b>	Xcomp
<b>Afd Gliding Plate</b>	Teflon
<b>Heel</b>	TCX Competition
<b>Color</b>	Black - Flo-red
<b>Weight/pc.</b>	1327 g
<b>Order No.</b>	7130U1MX



## XCOMP 18

<b>Category</b>	Race Competition
<b>Brake width</b>	85 mm
<b>DIN range</b>	8.0 - 18.0
<b>Boot type</b>	A
<b>Rec. skier's weight</b>	60 + kg
<b>Stand height</b>	18 mm
<b>Toe system</b>	Xcomp
<b>Afd Gliding Plate</b>	Teflon
<b>Heel</b>	TCX Competition
<b>Color</b>	Black - Flo-red
<b>Weight/pc.</b>	1303 g
<b>Order No.</b>	7120U1MX



## XCOMP 16

<b>Category</b>	Race
<b>Brake width</b>	85 mm
<b>DIN range</b>	6.0 - 16.0
<b>Boot type</b>	A / GW
<b>Rec. skier's weight</b>	60 + kg
<b>Stand height</b>	18 mm
<b>Toe system</b>	Xcomp
<b>Afd Gliding Plate</b>	Stainless steel
<b>Heel</b>	TCX
<b>Color</b>	Black - Flo-Red
<b>Weight/pc.</b>	1199 g
<b>Order No.</b>	6920U1MS



## XCOMP 12

<b>Category</b>	Race
<b>Brake width</b>	85 mm
<b>DIN range</b>	4.0 - 12.0
<b>Boot type</b>	A / GW
<b>Rec. skier's weight</b>	<120 kg
<b>Stand height</b>	18 mm
<b>Toe system</b>	Xcomp
<b>Afd Gliding Plate</b>	Stainless steel
<b>Heel</b>	TCX
<b>Color</b>	Black - Flo-Red
<b>Weight/pc.</b>	1168 g
<b>Order No.</b>	6820U1MS

Boot Types:

A = Adult, standard Alpine, C = Children, standard Alpine,

GW = GripWalk Adult



### RACE 10 TCX

<b>Category</b>	Race Junior
<b>Brake width</b>	85 mm
<b>DIN range</b>	3.0 - 10.0
<b>Boot type</b>	A
<b>Rec. skier's weight</b>	30 - 105 kg
<b>Stand height</b>	18 mm
<b>Toe system</b>	2linkage
<b>Afd Gliding Plate</b>	Stainless steel
<b>Heel</b>	TCX
<b>Color</b>	Black - Flo-red
<b>Weight/pc.</b>	1083 g
<b>Order No.</b>	6520U1MT



### WORLD CUP PC INTERFACE

<b>Category</b>	WC PC Interface	WC PC Interface
	10 mm	14 mm
<b>Competition &amp; Race</b>		
<b>Stand height</b>	10 mm	14 mm
<b>Width / Length</b>	59 / 542 mm	59 / 542 mm
<b>Sole Length</b>	260 - 362 mm	260 - 362 mm
<b>Color</b>	Black	Black
<b>Weight/pc.</b>	644 g	709 g
<b>Order No.</b>	2020R1SS	2022R1SS

### ALU PRO PLATE

<b>Category</b>	Competition & Race
<b>Width</b>	59 mm
<b>Length</b>	564 mm
<b>Stand height</b>	13mm
<b>Sole Length</b>	260 – 340 mm
<b>Color</b>	Aluminum
<b>Weight/pc.</b>	770 g
<b>Order No.</b>	030S1MP



### RACING TUNING KIT TCX

2028Q1RT



→ Especially designed for junior boots

### RACE JUNIOR 8

<b>Category</b>	Race Junior
<b>Brake width</b>	85 mm
<b>DIN range</b>	2.0 - 8.0
<b>Boot type</b>	C
<b>Rec. skier's weight</b>	25 - 100 kg
<b>Stand height</b>	20 mm
<b>Toe system</b>	2linkage
<b>Afd Gliding Plate</b>	Stainless steel
<b>Heel</b>	Compact 3
<b>Color</b>	Black - Flo-red
<b>Weight/pc.</b>	833 g
<b>Order No.</b>	6320U1MS

### RT SL PROTECTOR

140090.0



MOUNTING INSTRUCTION  
(SCAN QR-CODE)

Boot Types:

A = Adult, standard Alpine, C = Children, standard Alpine,  
GW = GripWalk Adult



# DRS BOOTS

Worldcup & Junior



DRS WC H

ARTICLE CODE	D2001001.00
COLOR	WHITE/RACE GREEN

SIZE	MP 225 - 285 UK 3.5-9.5
SIZE RUN	HALF SIZES ONLY
LAST	92 MM
SHELL MATERIAL	PU
CUFF MATERIAL	PU
LINER	DB COMP WC
VELCRO STRAP	BUCKLE STRAP 55 MM
BUCKLE	D5



DRS WC M

ARTICLE CODE	D2001002.00
COLOR	WHITE/RACE GREEN

SIZE	MP 225 - 285 UK 3.5-9.5
SIZE RUN	HALF SIZES ONLY
LAST	92 MM
SHELL MATERIAL	PU
CUFF MATERIAL	PU
LINER	DB COMP WC
VELCRO STRAP	BUCKLE STRAP 55 MM
BUCKLE	D5



DRS WC S

ARTICLE CODE	D2001003.00
COLOR	WHITE/RACE GREEN

SIZE	MP 225 - 285 UK 3.5-9.5
SIZE RUN	HALF SIZES ONLY
LAST	92 MM
SHELL MATERIAL	PU
CUFF MATERIAL	PU
LINER	DB COMP WC
VELCRO STRAP	BUCKLE STRAP 55 MM
BUCKLE	D5



DRS WC SS

ARTICLE CODE	D2001004.00
COLOR	WHITE/RACE GREEN

SIZE	MP 225 - 285 UK 3.5-6.5
SIZE RUN	HALF SIZES ONLY
LAST	92 MM
SHELL MATERIAL	PU
CUFF MATERIAL	PU
LINER	DB COMP WC
VELCRO STRAP	BUCKLE STRAP 55 MM
BUCKLE	D5



DRS WC XS

ARTICLE CODE	D2001005.00
COLOR	WHITE/RACE GREEN

SIZE	MP 225 - 255 UK 3.5-6.5
SIZE RUN	HALF SIZES ONLY
LAST	92 MM
SHELL MATERIAL	PU
CUFF MATERIAL	PU
LINER	DB COMP WC
VELCRO STRAP	POWER STRAP 40 MM
BUCKLE	D5



Marielle Thompson



DRS 140



ARTICLE CODE D2002001.00  
COLOR WHITE/RACE GREEN  
FLEX 140

SIZE MP 225-295  
SIZE RUN HALF SIZES ONLY  
LAST 97 MM  
WEIGHT SIZE 255 2155 G  
SHELL MATERIAL PU  
CUFF MATERIAL PU  
LINER DB COMP 97 MM  
VELCRO STRAP BUCKLE STRAP 55 MM  
BUCKLE D5



DRS 130



ARTICLE CODE D2002002.00  
COLOR WHITE/RACE GREEN  
FLEX 130

SIZE MP 225-295  
SIZE RUN HALF SIZES ONLY  
LAST 97 MM  
WEIGHT SIZE 255 2155 G  
SHELL MATERIAL PU  
CUFF MATERIAL PU  
LINER DB COMP 97 MM  
VELCRO STRAP POWER STRAP 50 MM  
BUCKLE D5



DRS 75



ARTICLE CODE D2002005.00  
COLOR WHITE/RACE GREEN  
FLEX 75

SIZE MP 215-275  
SIZE RUN HALF SIZES ONLY  
LAST 98 MM  
WEIGHT 1712 G  
SHELL MATERIAL PU  
CUFF MATERIAL PU  
LINER DB COMP LC  
VELCRO STRAP POWER STRAP 30 MM  
BUCKLE D5



DRS 60



ARTICLE CODE D2002006.00  
COLOR WHITE/RACE GREEN  
FLEX 60

SIZE JR 235-265  
SIZE RUN HALF SIZES ONLY  
LAST 90 MM  
WEIGHT 1322 G  
SHELL MATERIAL DB HYPERLITE  
CUFF MATERIAL DB HYPERLITE  
LINER SUPERCOMFORT PRO  
VELCRO STRAP POWER STRAP 25 MM  
BUCKLE PJ 9 MACRO



DRS 110



ARTICLE CODE D2002003.00  
COLOR WHITE/RACE GREEN  
FLEX 110

SIZE MP 225-295  
SIZE RUN HALF SIZES ONLY  
LAST 97 MM  
WEIGHT SIZE 255 2155 G  
SHELL MATERIAL PU  
CUFF MATERIAL PU  
LINER DP COMP 97 MM  
VELCRO STRAP POWER STRAP 50 MM  
BUCKLE D5



DRS 90 LC



ARTICLE CODE D2002004.00  
COLOR WHITE/RACE GREEN  
FLEX 90

SIZE MP 225-275  
SIZE RUN HALF SIZES ONLY  
LAST 98 MM  
WEIGHT 2099 G  
SHELL MATERIAL PU  
CUFF MATERIAL PU  
LINER DB COMP LC  
VELCRO STRAP POWER STRAP 40 MM  
BUCKLE D5



Kris Mahler

# BAGS



**RACE BOOT &  
HELMET BACKPACK**  
VÖLKL

ART. NO.	142101
COLOR	Black/Red
SIZE IN CM	39 x 30 x 47
VOLUME IN L	56

**RACE BOOT &  
HELMET BACKPACK**  
DALBELLO

ART. NO.	142102
COLOR	Green / Black / White
SIZE IN CM	39 x 30 x 47
VOLUME IN L	56

**RACE BACKPACK  
TEAM LARGE**  
VÖLKL

ART. NO.	142103
COLOR	Black/Red
SIZE IN CM	49 x 36 x 65
VOLUME IN L	115

**RACE BACKPACK  
TEAM MEDIUM**  
VÖLKL

ART. NO.	142105
COLOR	Black/Red
SIZE IN CM	40 x 36 x 60
VOLUME IN L	85

**RACE BACKPACK  
TEAM MEDIUM**  
DALBELLO

ART. NO.	142106
COLOR	Green / White
SIZE IN CM	40 x 36 x 60
VOLUME IN L	85

**RACE 4PAIR SKI BAG  
PADDED 230 CM**  
VÖLKL

ART. NO.	142112
COLOR	Black
SIZE IN CM	230 x 141



**UTILITY  
BACKPACK-LARGE**

ART. NO.	140159
COLOR	Graphite/Heather
SIZE IN CM	—
VOLUME IN L	75



**DALBELLO DELUXE  
BOOT BAG**

ART. NO.	140166
COLOR	Graphite/Heather
SIZE IN CM	41 x 36 x 46
VOLUME IN L	65




**ROLLING 30" ALL  
PRO DUFFEL**

ART. NO.	140163
COLOR	Graphite/Heather
SIZE IN CM	76 x 41 x 41
VOLUME IN L	130



**DOUBLE + SKI BAG 200CM**  
ART. NO. 140154  
SIZE IN CM 200 x 33 x 20  
VOLUME IN L 135



## Race Sizing Chart 2022-2023

### SKIS / BOOTS / BINDINGS

#### ATHLETE INFO

#### MULTI-EVENT

#### SLALOM

#### GIANT

#### SUPER-G

#### SKI CROSS

#### DH

#### DRS 60

#### DRS 75

#### DRS 90 LC

#### DRS XS (90)

#### DRS SS (110)

#### DRS S (130)

#### DRS M (150+)



**RECOMMENDED BINDING: MARKER RACE JR 8 (Jr boot sole), RACE 10 TCX OR XCOMP 12 + UNIVERSAL TUNING KIT**

**DRS WORLD CUP 92mm LAST**

<b>ENTRY LEVEL</b>	40-50 LBS	118 GSL combi	118 GSL combi					X					
	50-60	122 combi	122 combi					X					
	60-70	122 combi	122 combi	130 >12m				X					
<b>U12</b>	70-80	129 cm	129cm	137 >14m			X	X					
	80-90	136cm	129 cm	144 >14m			X	X					
	90-100	145cm	136cm	151 >17m			X	X					



**RECOMMENDED BINDING: MARKER RACE 10 TCX, XCOMP 12 + UNIVERSAL TUNING KIT**

<b>U14</b>	70-80 LBS	129cm >9m	151 >17m			X							
	80-90	136cm	151/158				X						
	90-100	136/143cm >10m	158 >17m				X						
	100-110	136/143cm >10m	165 >18m					X					
	110-120	143/150cm >10m	170 >19m	183				X	X				
	120+	150cm >12m	174 >21m	183				X	X				



**RECOMMENDED BINDING: MARKER XCOMP 12 XComp 16 + UNIVERSAL TUNING KIT**

<b>U16</b>	90-100 LBS	143cm	174 >21m	183cm			X	X					
	100-110	150cm	178 >23m	183/192			X	X					
	110-120	150cm	178/183	192			X	X					
	120-135	150/155cm RE	183-25m	192/203				X	X				
	135-150	155cm RE	183-25m	203-30m					X	X	x		
	150+	157WC/165cm RE	188-27m	203-30m				X	X	x			



**RECOMMENDED BINDING: MARKER Xcomp 18+ UNIVERSAL TUNING KIT, TECH, SPEED & NOR-AM**

<b>FIS WMN</b>	100-125 LBS	155cm RE	183cm 30m RE	208cm	210cm		X	X	X	X			
	125+	157cm WC	188cm 30m WC	208cm	210cm		X	X	X	X			



**RECOMMENDED BINDING: MARKER XCOMP 18 OR XCOMP 24 + UNIVERSAL TUNING KIT, TECH, SPEED & NOR-AM**

<b>FIS MN</b>	100-130 LBS	157cm WC	188 WC	211cm	218cm		X	X	X				
	130-160	165cm WC	188 WC/193 WC	211cm	218cm			X	X	X			
	160+	165cm WC	193cm WC	211cm	218cm			x	X	X			



**RECOMMENDED BINDING: MARKER XCOMP 18 Or Xcomp 24+ UNIVERSAL TUNING KIT, ALU-PLATE for MNS 191**

**U14/16, FIS & NOR-AM**

<b>FIS WMN</b>	X	X	183-25m	X	GS X WC 185			X	X				
<b>FIS MN</b>	X	X	188-27m	X	GS X WC 191			X	X	X			
<b>U14/16</b>	X	X	178/183	X	X			X	X				

Equipment selection is a personal choice. This is only a guide. Your individual selection may vary.



Kris Mahler

#### INTERNATIONAL HEADQUARTERS

Marker Dalbello Völkl (International) GmbH  
Ruessenstrasse 6  
6341 Baar  
Switzerland



MDV SPORTS CANADA

[mdv sports.com](http://mdv sports.com)

Photography: Peter Mathis, GEPA Pictures, Michael Mayer,  
Paul Schmidt, Carlo Beretta, Roger Witney,  
Malcolm CarMichael/Alpine Peak Photography  
Created & produced by: yearning.de

Marker, XComp, X-cell, UVO, Piston Control, Glide,  
Fastrak, EPS, Deacon, Duke, Jester, Baron, Griffon, Squire,  
Schizo, Ampire, Biotech, Gripwalk, Kingpin, Völkl, Völkl  
Freeski, Racetiger, V-werks, Speedwall, UVO, Katana,  
Phantastick, Motion and Ride the Mountain are registered  
trademarks of Marker Völkl International GmbH and other  
marks are pending.